



000 308-1520

1



HOURLMETER

Voltage 12-60VDC
 Overall Length 2.166"
 Body Diameter898" x 1.436"
 Display 9999.9
 Type Negative ground digital

000 308-1571

2



HOURLMETER

Voltage 12-60VDC
 Overall Length 2.000"
 Diameter 2.167"
 Display 9999.9
 Type Negative ground digital

000 308-1572

3



HOURLMETER

Voltage 12-60VDC
 Overall Length 2.165"
 Diameter 1.979"
 Display 9999.9
 Type Negative ground digital

000 308-1574

4



HOURLMETER

Voltage 12-32VDC
 Overall Length 2.125"
 Body Diameter875" x 1.375"
 Display 9999.9
 Type Negative ground digital

000 308-1575

5



HOURLMETER

Voltage 12-48VDC
 Overall Length 1.371"
 Diameter 1.985"
 Display 9999.9
 Type Negative ground, LCD display

000 308-1576

6



HOURLMETER

Voltage 12VDC
 Overall Length 2.993"
 Diameter 2.041"
 Display 9999.9
 Type Negative ground digital



GAUGES & METERS
hourmeters

000 308-1578

1



HOURLMETER

Voltage 12VDC
 Overall Length 1.550"
 Diameter 1.680"
 Display 9999.9

000 308-1579

2



HOURLMETER

Voltage 10-50VDC
 Overall Length 2.080"
 Diameter 2.043"
 Display 9999.9
 Type Negative ground digital

000 308-1583

3



HOURLMETER

Voltage 10-50VDC
 Overall Length 2.000"
 Diameter 2.167"
 Display 9999.9
 Type Negative ground digital

000 308-1705

4



HOURLMETER

Voltage 36-72VDC
 Overall Length 2.215"
 Body Diameter890" x 1.398"
 Display 9999.9
 Type Negative ground digital

000 308-7015

5



HOURLMETER

Voltage 36-80VDC
 Overall Length 2.168"
 Diameter 1.980"
 Display 9999.9
 Type Negative ground digital

000 308-C1584

6



NEW
Catalog Item!

BATTERY DISCHARGE INDICATOR & HOURLMETER

Manufacturer Curtis
 Voltage 12-24V
 Case Depth 2.250"
 Case Diameter 2.050"
 Display 99,999.90
 Type Multi-color, 10 bar LED display

Part #	Voltage
000 308-C1580	24-48V



GAUGES & METERS

hourmeters

000 308-C1585

1

NEW
Catalog Item!



HOURLMETER

Manufacturer Curtis
 Voltage 12-48V
 Case Depth 1.126"
 Case Diameter 2.300"
 Display 99,999.90
 Type LED display, with 2 wires

000 308-C1586

2

NEW
Catalog Item!



BATTERY DISCHARGE INDICATOR & HOURLMETER

Manufacturer Curtis
 Voltage 12-24V
 Case Depth 2.180"
 Case Diameter 2.050"
 Display 99,999.90
 Type Multi-color, 10 bar LED display

Part #	Voltage
000 308-C1582	24-36V
000 308-C1587	36-48V

000 308-C1588

3

NEW
Catalog Item!



BATTERY DISCHARGE INDICATOR & HOURLMETER

Manufacturer Curtis
 Voltage 24-36V
 Case Depth 2.273"
 Case Diameter 2.050"
 Display 99,999.90
 Type Multi-color, 10 bar LED display

Part #	Voltage
000 308-C1589	36-48V

000 308-C1707

4

NEW
Catalog Item!



HOURLMETER

Manufacturer Curtis
 Voltage 12-48V
 Case Depth 1.126"
 Case Diameter 2.300"
 Display 99,999.90
 Type LED display, with 3 wires



GAUGES & METERS
hourmeters

000 308-C2082

1

NEW
Catalog Item!



BATTERY DISCHARGE INDICATOR & HOUR METER
 Voltage 12-48VDC
 Overall Length 2.346"
 Diameter 2.360"
 Display 9999.9

000 308-C2082-IK

2

NEW
Catalog Item!



INSTALLATION KIT-MOLEX BASED
 Used With 000 308-C2082

000 350-CGRD

3

NEW
Catalog Item!



METER GUARD
 Manufacturer Curtis
 Voltage All



000 308-2020

1



AMMETER-REPLACEMENT

Amperage 60-0-60
 Overall Length 1.325"
 Diameter 2.250"

000 308-2022

2



AMMETER-ORIGINAL

Amperage 60-0-60
 Overall Length 2.125"
 Diameter 2.000"
 Bulb Opening481"

000 308-2023

3



AMMETER

Amperage 0-30
 Overall Length 1.500"
 Diameter 2.000"



GAUGES & METERS
oil pressure senders

000 225-5969

1



OIL PRESSURE SENDER

Overall Length 2.332"
Thread 1/8" NPTF

000 308-2805

2



OIL PRESSURE SENDER

Overall Length 3.116"
Thread 1/8"-27

000 308-2808

3



OIL PRESSURE SENDER

Overall Length 2.000"
Thread 1/8" NPTF

000 308-5014

4



OIL PRESSURE SENDER

Overall Length 3.750"
Thread 1/8" NPTF

000 308-6202

5



OIL PRESSURE SENDER

Overall Length 3.500"
Thread 1/8" NPTF

000 308-6207

6



OIL PRESSURE SENDER

Overall Length 2.000"
Thread 1/8"-28

000 316-1252

7



OIL PRESSURE SENDER

Overall Length 2.212"
Thread 1/8" NPTF

00 316-9002

8



OIL PRESSURE SENDER

Overall Length 1.700"
Thread 1/8"-28



000 393-2016

1



OIL PRESSURE SENDER

Overall Length 2.214"
Thread 1/8"-28

000 393-2517

2



OIL PRESSURE SENDER

Overall Length 1.646"
Thread 1/8" NPTF

000 393-2534

3



OIL PRESSURE SENDER

Overall Length 1.550"
Thread 1/8"-28

000 393-2908

4



OIL PRESSURE SENDER

Overall Length 2.000"
Thread 1/8"-28

000 393-2926

5



OIL PRESSURE SENDER

Overall Length 2.780"
Thread 1/8"-27

000 393-3207

6



OIL PRESSURE SENDER

Overall Length 2.060"
Thread 1/8"-28

000 393-5685

7



OIL PRESSURE SENDER

Overall Length 2.188"
Thread 7/16"-27

000 393-5872

8



OIL PRESSURE SENDER

Overall Length 2.250"
Thread 1/4" NPTF



GAUGES & METERS

oil pressure senders

000 393-8205

1



OIL PRESSURE SENDER

Overall Length 1.560"
Thread 1/8"-28

000 393-9990

2



OIL PRESSURE SENDER

Overall Length 2.400"
Thread 1/8"-27

IE-1081

3



OIL PRESSURE SENDER

Overall Length 2.800"
Thread 1/8" NPTF



GAUGES & METERS

oil pressure gauges

000 308-2500

1



OIL PRESSURE GAUGE KIT

Voltage 12VDC
 Gauge 000 308-5001
 Sender 000 308-6202

000 308-5001

2



OIL PRESSURE GAUGE-ORIGINAL

Voltage 12VDC
 Overall Length 2.250"
 Diameter 2.000"
 Bulb Opening500"

000 308-5001-R

3



OIL PRESSURE GAUGE-REPLACEMENT

Voltage 12VDC
 Overall Length 2.250"
 Diameter 2.125"



GAUGES & METERS
temperature senders

000 308-2813

1



TEMPERATURE SENDER

Overall Length 2.064"
O.D.558"

000 308-6101

2



TEMPERATURE SENDER

Overall Length 1.640"
Thread 3/8" NPTF

000 308-6105

3



WATER TEMPERATURE SENDER

Overall Length 2.500"
Thread 1/2" NPTF

000 308-6107

4



WATER TEMPERATURE SENDER

Overall Length 1.875"
Thread 1/4" NPTF

000 308-6117

5



TEMPERATURE SENDER

Overall Length 2.030"
Thread 3/8" NPTF

000 308-6121

6



WATER TEMPERATURE SENDER-ORIGINAL

Overall Length 2.000"
Thread 1/2" NPTF

000 308-6123

7



WATER TEMPERATURE SENDER

Overall Length 1.625"
Thread 1/4" NPTF

000 308-6209

8



WATER TEMPERATURE SENDER

Overall Length 2.750"
Thread 1/2" NPTF



GAUGES & METERS

temperature senders

000 308-7563

1



WATER TEMPERATURE SENDER
 Overall Length 1.880"
 Thread M16X1.5mm

000 393-2531

2



WATER TEMPERATURE SENDER
 Overall Length 1.950"
 Thread M12 x 1.25mm

000 393-2924

3



WATER TEMPERATURE SENDER
 Overall Length 2.250"
 Thread 1/8"-27

000 393-3529

4



WATER TEMPERATURE SENDER-REPLACEMENT
 Overall Length 1.875"
 Thread 1/2" NPTF

000 393-4572

5



TEMPERATURE SENDER
 Overall Length 2.280"
 Thread 3/8" NPTF

000 393-8204

6



WATER TEMPERATURE SENDER
 Overall Length 1.800"
 Thread M16 x 1.5mm

000 393-8206

7



WATER TEMPERATURE SENDER
 Overall Length 1.700"
 Thread M8 x .75mm



GAUGES & METERS

water temperature gauges

000 308-5101

1



WATER TEMPERATURE GAUGE

Voltage 12VDC
 Overall Length 2.000"
 Diameter 2.000"
 Temperature Range Up to 250 deg. F

000 308-5102

2



WATER TEMPERATURE GAUGE

Voltage 12VDC
 Overall Length 1.500"
 Diameter 2.000"
 Temperature Range Up to 250 deg. F

000 308-5120

3



WATER TEMPERATURE GAUGE

Voltage 12VDC
 Overall Length 2.250"
 Diameter 2.000"
 Temperature Range Up to 320 deg. F

000 308-7004

4



WATER TEMPERATURE GAUGE

000 308-7571

5



WATER TEMPERATURE

Voltage 12VDC
 Overall Length 2.750"
 Diameter 2.300"



000 393-3641

1



FUEL LEVEL SENDER

Voltage 12VDC
 Designed for fuel tanks 6-24" Deep
 Features Float arm setting is normally right hand,
 but can be converted to left hand.

000 393-3642

2



FUEL LEVEL SENDER

Voltage 12VDC
 Designed for fuel tanks 6-24" Deep
 Use with 000 308-5200 & 000 308-5204
 Features Float arm setting is normally right hand,
 but can be converted to left hand.

001 305594

3



FUEL LEVEL SENDER

Voltage 12VDC
 Designed for fuel tanks 6-24" Deep
 Features Float arm setting is normally right hand,
 but can be converted to left hand.



GAUGES & METERS fuel gauges

000 308-5200

1



FUEL GAUGE-ORIGINAL

Voltage 12VDC
 Overall Length 2.250"
 Diameter 2.125"

000 308-5204

2



FUEL GAUGE-REPLACEMENT

Voltage 12VDC
 Overall Length 1.500"
 Diameter 2.125"

000 308-6213

3



FUEL GAUGE

Voltage 12VDC
 Overall Length 2.061"
 Diameter 2.300"



000 393-4079

1



TRANSMISSION TEMPERATURE SENDER
 Overall Length 2.135"
 Thread 3/8" NPTF

000 308-6119

2



TRANSMISSION TEMPERATURE SENDER
 Overall Length 1.910"
 Thread M16 x 1.5mm

000 308-7568

3



TRANSMISSION TEMPERATURE SENDER
 Overall Length 1.840"
 Thread 1/4" NPTF

Quadrigage

000 308-9930

4



QUADRIGAGE

Diameter 6.438"
 Hose Length 12"
 Male Fitting 1/8"
 PSI Reading 0-150, 0-600, 0-5000
 Features Four pressure gauges in one.

First gauge also registers 0-30 inches mercury. Low pressure range gauges are protected if system pressures approach the gauge limits. Compatible with most hydraulic fluids and has teflon seals. Gauge face plates have both English and metric readings. Portable swivel wire hanger on back.

000 308-9950

5



QUADRIGAGE

Diameter 6.438"
 Hose Length 36"
 Male Fitting 1/8"
 PSI Reading 0-150, 0-600, 0-5000
 Features Four pressure gauges in one.

First gauge also registers 0-30 inches mercury. Low pressure range gauges are protected if system pressures approach the gauge limits. Compatible with most hydraulic fluids and has teflon seals. Gauge face plates have both English and metric readings. Portable swivel wire hanger on back.

Notes



GAUGES & METERS