



DC-1000

1



DECAL WORLD KIT

Part #	Description	Qty	Part #	Description	Qty
DC-1001	American Flag	(2)	DC-1008	On/Under Forks	(2)
DC-1002	No Riders	(2)	DC-1009	Under/On Forks	(2)
DC-1003	Finger pinch point	(2)	DC-1010	Disconnect Battery	(1)
DC-1004	Warning serious injury	(1)	DC-1011	Important: Do not clean	(1)
DC-1005	Fasten seat belt	(1)	DC-1012	Maximum capacity/kilograms	(1)
DC-1006	Forward, Neutral, Reverse	(1)	DC-1013	Down, Lift, Up	(1)
DC-1007	Forward, Tilt, Back	(1)	DC-1014	Keep Hands and feet away	(1)

000 2492-1016

2



DECAL KIT

000 2492-1002

3



DECAL-CLARK

000 2492-1003

4



DECAL-FORKS



SAFETY

decals

000 2492-1004

1



DECAL-HANDS

000 2492-1005

2



DECAL-20

000 2492-1006

3



DECAL-25

000 2492-1007

4



DECAL-30

000 2492-1008

5



DECAL-GCS

000 2492-1009

6



DECAL-GPS

000 2492-1010

7



DECAL-NO RIDING

000 2492-1011

8



DECAL-FORKS



000 2492-1012

1



DECAL-SAFETY

000 2492-1013

2



DECAL-MODEL NAME

000 2492-1014

3



DECAL-WARNING

000 2492-1015

4



DECAL-WARNING

000 2492-1017

5



DECAL-RENTAL

000 2492-1018

6



DECAL-FASTEN SEAT BELT

000 2492-1019

7



DECAL-50

000 2492-1020

8



DECAL-HYSTER



SAFETY decals

000 2492-1021

1



DECAL-WARNING

000 2492-1314

2



DECAL-HANDS OFF

000 2492-1320


3



DECAL-LEGEND

000 2492-1321

4



DECAL-PATENT

000 2492-1322

5



DECAL-CONTROLS

000 2492-1323

6



DECAL-MAINTENANCE

000 2492-1324

7



DECAL-LEGEND

000 2492-1325

8



DECAL-LIFT LEVER



000 2492-1326

1



DECAL-TILT LEVER

000 2492-1327

2



DECAL-SAFETY

000 2492-1328

3



DECAL-WARNING

000 2492-1330

4



DECAL-SERVICE

000 2492-1331

5



DECAL-ENGINE SHUTDOWN

000 2492-1332

6



DECAL-WARNING

000 2492-1334

7



DECAL-INSTRUCTIONS

000 2492-1336

8



DECAL-LOGO



SAFETY

decal

DC-1004

1



NEW
Catalog Item!

DECAL-WARNING SERIOUS INJURY

DC-1005

2



NEW
Catalog Item!

DECAL-FASTEN SEAT BELT

1



Constantly monitors engine's oil pressure and temperature during operation. A buzzer sounds and warns operator of a failure and shuts down the engine, saving on costly repairs. Moisture and vibration proof.

Part #	Description	Type	Includes
000 308-9900	ENGINE GUARD	Idiot light equipped, does not require horn relay on vehicle	Wire harness, mounting hardware, and terminals
000 308-9901	ENGINE GUARD	Idiot light equipped, requires horn relay on vehicle	Wire harness, mounting hardware, and terminals
000 308-9902	ENGINE GUARD	Gauge equipped, requires horn relay on vehicle	000 308-9901 Engine Guard 000 308-9905 Sensor Kit
000 308-9905	SENSOR KIT	—	2 fittings, 3 senders, & 3 female terminals
000 308-9906	ENGINE GUARD	Gauge equipped, does not require horn relay on vehicle	000 308-9900 Engine Guard 000 308-9905 Sensor Kit



SAFETY engine guard



SAFETY

fire extinguisher

Fire Extinguishers

- Pressure gauge indicates extinguisher condition at a glance
- Constructed of strong drawn steel with forged brass valve, stainless steel handles, and cold welded siphon tube
- Designed to operate in temperature range -40 to 120 deg. F
- OSHA approved, UL listed
- Rechargeable

SA-1002

1



FIRE EXTINGUISHER

Rating 2.5 lbs. rated at 10 B:C Dry Chemical
 Includes IP-6008 Bracket

SA-1034

2

NEW
Catalog Item!



FIRE EXTINGUISHER

Rating 5 lb ABC Dry Chemical
 Includes IP-6134 Bracket

IP-6008

3

NEW
Catalog Item!



MOUNTING BRACKET

Rating Heavy Duty
 Used With SA-1002

IP-6134

4

NEW
Catalog Item!



MOUNTING BRACKET

Rating Heavy Duty
 Used With SA-1034

000 2494-1000

1

FORKSHIELD

- Universal for all forklifts and some heavy equipment
- Attaches in seconds
- Impact resistant vinyl and ultra tough
- Custom Extruded SUPERCLEAR Material
- Protect employees from falling debris and cold wet weather
- Use for front, top, or back of vehicle
- UV yellow inhibitor
- Freezepoint flexibility



SAFETY

windshield / mirrors

Mirrors

000 755-9048

2



MIRROR

Size 4" x 8"
 Type Rectangular acrylic convex

000 755-9069

3



MIRROR

Size 6" x 9"
 Type Rectangular acrylic convex



SAFETY
mirror

000 755-9080

1



MIRROR

Size 8"
Type Round acrylic convex

000 755-9080-DP

2



MIRROR

Size 8"
Type Round acrylic elliptical dome

000 755-9111

3



MIRROR

Size 4-1/2" x 8"
Type Rectangular glass convex

000 755-9900

4



MIRROR

Size 4-1/4" x 8"
Type Oval glass (bracket not included)

000 755-9905

5

NEW
Catalog Item!



MIRROR

Size 8-1/4" x 4-1/2"
Type Rectangular acrylic convex



1

Shockswitch

Mounts easily on almost any material handling vehicle. If the vehicle is bumped beyond the impact level selected, the Shockswitch will sound the horn on the unit.



000 SC-1040

Voltage 9V
 Power Source Lithium / Alkaline Battery
 Dimensions 4.5" x 4.5" x 2.5"
 G-force Adjustable - .50 to 7
 Internal Alarm 103dB
 Horn Option Yes
 Light Option No
 Remote Panel Option No

000 SC-1000

Voltage 9V
 Power Source Lithium / Alkaline Battery
 Dimensions 4.5" x 4.5" x 2.5"
 G-force Adjustable - .50 to 7
 Internal Alarm 103dB
 Horn Option No
 Light Option No
 Remote Panel Option No

000 SC-1060

Voltage 12/60V
 Power Source Truck Battery
 Dimensions 4.5" x 4.5" x 2.5"
 G-force Adjustable - .50 to 7
 Internal Alarm 103dB
 Horn Option Yes
 Light Option Yes
 Remote Panel Option No

000 SC-1010

Voltage 12/60V
 Power Source Truck Battery
 Dimensions 4.5" x 4.5" x 2.5"
 G-force Adjustable - .50 to 7
 Internal Alarm 103dB
 Horn Option No
 Light Option No
 Remote Panel Option No

000 SC-1080

Voltage 12/60V
 Power Source Truck Battery
 Dimensions 4.5" x 4.5" x 2.5"
 G-force Adjustable - .50 to 7
 Internal Alarm 103dB
 Horn Option Yes
 Light Option Yes
 Remote Panel Option Yes

000 SC-1002

2



KEY

Used on All Shockswitches

Quantity 1

Safety Glasses

1



Stylish protective eyewear meets ANSI Z87.1 specifications. Lightweight design for comfort and scratch-resistant polycarbonate lenses that filter out over 99% of harmful UV-A and UV-B rays.

Part #	Description	Color
SA-2000	SAFETY GLASSES	Smoke frame with gray lens
SA-2001	SAFETY GLASSES	Smoke frame with blue mirror lens
SA-2002	SAFETY GLASSES	Black frame with clear lens
SA-2003	SAFETY GLASSES	Black frame with amber lens
SA-2006	SAFETY GLASSES	Blue frame with clear lens
SA-2007	SAFETY GLASSES	Black frame with clear lens
SA-2009	SAFETY GLASSES	Smoke Frame with gold mirror lens
SA-2010	SAFETY GLASSES	Clear frame with clear anti-smoke lens
SA-2011	SAFETY GLASSES	Clear frame with clear lens
SA-2012	SAFETY GLASSES	Blue frame with blue mirror lens

SA-2008

2



SAFETY GLASSES DISPLAY

Display holds 10 glasses.
Requires assembly



000 2493-1000

1



FULL BODY HARNESS

Standard VersaLite harness. Lightweight nylon webbing. Chest strap with adjustment pads. Pull up shoulder adjustment. Forged steel sliding back D-ring. Replaceable chest mounted lanyard clip on adjustment pad. Back strap to keep shoulder straps in position and prevent the back D-ring from sliding down too far. Four loops to accommodate body belt. Options: Coolmax (TM) back and shoulder pads. Polyester webbing available for chemical and acidic environments.

Size One "universal" size fits most
Type Industrial

000 2493-1001

2



FULL BODY HARNESS

New stretchable elastic webbing. Friction buckle shoulder straps. Mating buckle leg and chest straps. Pull-up design shoulder straps. Belt loops to accommodate tool belts, back pads and accessories. Includes lanyard clip, sub-pelvic strap. For front D-ring option, order E650FD.

Size One "universal" size fits most
Type Deluxe

000 2493-1002

3



WEB LANYARD

Made of polyester webbing and is perfect unit for warehouse activities, cherry picker or aerial basket applications. Designed with an inertia-braking mechanism that locks instantly. Complete with a top swivel ring and a plated locking snap hook with a 3/4" throat opening.

Length 10'
Type Retractable

000 2493-1003

1



LANYARD

Special shock-absorbing inner core material surrounded by a super-strong, heavy duty outer jacket that doubles as a back-up web lanyard. Contains a unique warning flag to indicate the unit has been involved in a fall and should be removed from service.

Length 6'
 Type Shock Absorbing
 Capacity 310 lbs.

000 755-2005

2



WEB LANYARD

Length 8'
 Type Non-Retractable

3

Safety Belts

Designed for wear while operating order pickers and is not intended for fall protection. The back pad is made of 3" wide yellow nylon and has a 1-3/4" waist strap with tongue buckle for secure closure. A steel D-ring is attached to the belt to secure a safety lanyard.



Part #	Description	Size	Waist Size
000 755-2000	SAFETY BELT	Small	28-36
000 755-2001	SAFETY BELT	Medium	32-40
000 755-2002	SAFETY BELT	Large	36-44
000 755-2003	SAFETY BELT	Extra Large	40-48
000 755-2004	SAFETY BELT	Extra Extra Large	42-50



SAFETY

fall protection / safety belts



SAFETY

safety tread / static strap

000 755-2006

1



SAFETY WALK PAD - RH

Used on Crown & Yale Walkie Riders

000 755-2007

2



SAFETY WALK PAD - LH

Used on Crown & Yale Walkie Riders

000 761-1137

3



SAFETY TREAD

Size030" thick x 24"W x 10' L

000 761-1200

4



NEW
Catalog Item!

NON-SKID MAT

Used on Barrett
Material Black rubber grit with adhesive back

SA-1000

5



SAFETY TREAD

Size040" thick x 8"W x 60'L
Material Black rubber grit surface with adhesive back
Features Can be cut to length and shaped as needed

Static Strap

SA-1001

6



STATIC STRAP

Size 1.000" x 25.000"

000 439-1204

7



STATIC STRAP

Size 1.060" x 10.500"



SAFETY

back-up alarms

1



BACK-UP ALARM

Decibel Rating 96dB
 Type Mechanical
 Manufacturer # BKA

2



NEW
 Catalog Item!

BACK-UP ALARM

Voltage 12-48V
 Decibel Rating 87 or 97dB
 Type Manually Adjustable
 Manufacturer # LTA-2

3



BACK-UP ALARM (SMART)

Voltage 12-24V
 Decibel Rating 82-107dB
 Type Self Adjusting
 Manufacturer # SA901

4



BACK-UP ALARM (SMART)

Voltage 12-36V
 Decibel Rating 82-107dB
 Type Self Adjusting
 Manufacturer # SA907

5



BACK-UP ALARM (SMART)

Voltage 12-48V
 Decibel Rating 82-102dB
 Type Self Adjusting
 Manufacturer # SA931

6



BACK-UP ALARM (SMART)

Voltage 12-24V
 Decibel Rating 82-102dB
 Type Self Adjusting
 Manufacturer # SA950

7



BACK-UP ALARM

Voltage 12V
 Decibel Rating 90dB
 Type Fixed Decibel
 Manufacturer # 85A

8



NEW
 Catalog Item!

BACK-UP ALARM

Voltage 12-48V
 Decibel Rating 97dB
 Type Fixed Decibel
 Manufacturer # ELT-248



SAFETY

back-up alarms

000 312-9278

1



BACK-UP ALARM

Voltage 12-80V
 Decibel Rating 87dB
 Type Fixed Decibel
 Manufacturer # ELT-278

000 312-9530

2



BACK-UP ALARM

Voltage 12-24V
 Decibel Rating 102dB
 Type Fixed Decibel
 Manufacturer # 530

000 312-9575

3



BACK-UP ALARM

Voltage 12-24V
 Decibel Rating 107dB
 Type Fixed Decibel
 Manufacturer # 575

000 312-9580

4



BACK-UP ALARM

Voltage 12-80V
 Decibel Rating 87dB
 Type Fixed Decibel
 Manufacturer # 580

000 312-9581

5



BACK-UP ALARM

Voltage 12-36V
 Decibel Rating 107dB
 Type Fixed Decibel
 Manufacturer # 630

000 312-9585

6



BACK-UP ALARM

Voltage 12-48V
 Decibel Rating 97dB
 Type Fixed Decibel
 Manufacturer # 585

000 312-9820

7



BACK-UP ALARM

Voltage 12-36V
 Decibel Rating 87 or 107dB
 Type Manually Adjustable
 Manufacturer # 820

000 312-9821

8



BACK-UP ALARM

Voltage 24-72V
 Decibel Rating 97 or 105dB
 Type Manually Adjustable
 Manufacturer # ELT-280



SAFETY

back-up alarms

000 312-9822

1



BACK-UP ALARM KIT

Type Fixed Decibel
 Voltage 12-72V
 Decibel Rating 90dB

000 312-9823

2



NEW
 Catalog Item!

BACK-UP ALARM

Voltage 12-24V
 Decibel Rating 102dB
 Type Fixed Decibel
 Manufacturer # DT500FP-LWC

000 312-9901

3



BACK-UP ALARM

Voltage 12V
 Type Fixed Decibel

000 312-9951

4



BACK-UP ALARM (SMART)

Voltage 12-48V
 Decibel Rating 77-97dB
 Type Self Adjusting
 Manufacturer # SA951

000 393-5001

1



BACK-UP ALARM SWITCH

Type Heavy Duty
 Amps 5
 Voltage 12VDC
 Electrical Specification Single Pole, Double Throw
 Body Type Rugged plastic
 Manufacturer # SW15SP

000 393-5002

2



BACK-UP ALARM SWITCH

Type Extra Heavy Duty
 Amps 5
 Voltage 12VDC
 Electrical Specification Single Pole, Double Throw
 Body Type Spark proof metal
 Manufacturer # SW30

000 393-9986

3



BACK-UP ALARM SWITCH

Type Light Duty
 Amps 5
 Voltage 12VDC
 Electrical Specification Single Pole, Normally Open
 Body Type Metal
 Manufacturer # SW10



SAFETY

back-up alarm switches



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1207	HORN KIT WITH RELAY & HARNESS	12V	Flat	—	—	—	—	—	2

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1179	HORN	12V	Flat	70.25mm	34.50mm	—	100+/-5dB	0.85	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1195	HORN	24V	Flat	90mm	55mm	400 +/-5 Hz	114dB	2	3

4



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1197	HORN	24V	Flat	90mm	55mm	400 +/-5 Hz	114dB	2	3
000 312-1198	HORN	36V	Flat	90mm	55mm	400 +/-5 Hz	114dB	1	3
000 312-1196	HORN	48V	Flat	90mm	55mm	400 +/-5 Hz	114dB	1	3



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1199	HORN	12V	Flat	90mm	55mm	420 Hz	112dB	3.5	2
000 312-1200	HORN	24V	Flat	90mm	55mm	420 Hz	112dB	2.5	2
000 312-1201	HORN	36-48V	Flat	90mm	55mm	420 Hz	112dB	1	2

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1155	HORN	36-48V	Flat	124mm	55.8mm	430 Hz	110+/-5dB	1.4	2
000 312-1183	HORN	24V	Flat	124mm	55.8mm	405 Hz	110+/-5dB	1.8	2
000 312-1184	HORN	12V	Flat	124mm	55.8mm	410 Hz	110+/-5dB	3.4	2
000 312-1186	HORN	36V	Flat	124mm	55.8mm	415 Hz	110+/-5dB	1.8	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1180	HORN	24V	Flat	96.25mm	48.75mm	325 +/-15 Hz	110+/-5dB	2	2

4



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1164	HORN	12V	Flat	87.50mm	41.25mm	380 +/-5 Hz	115+/-5dB	3	2



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1182	HORN	24V	Flat	124mm	55.8mm	405 Hz	110+/-5dB	1.8	2
000 312-1190	HORN	12V	Flat	124mm	55.8mm	410 Hz	110+/-5dB	3.4	2

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1000	HORN	36V	Flat	124mm	55.8mm	415 Hz	110+/-5dB	1.8	2
000 312-1149	HORN	12V	Flat	124mm	55.8mm	410 Hz	110+/-5dB	3.4	2
000 312-1150	HORN	24V	Flat	124mm	55.8mm	405 Hz	110+/-5dB	1.8	2
000 312-1160	HORN	36-48V	Flat	124mm	55.8mm	430 Hz	110+/-5dB	1.4	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1185	HORN	36V	Flat	124mm	55.8mm	415 Hz	110+/-5dB	1.8	2

4



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1165	HORN	24V	Flat	95.25mm	56.25mm	435+/-15 Hz	115+/-5dB	4	2
000 312-1176	HORN	12V	Flat	90mm	45mm	n/a	100+/-5dB	1	2



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1169	HORN	12V	Flat	62.25mm	37.50mm	450 +/- 10Hz	110+/-5dB	1.5	2

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1193	HORN	48V	Flat	—	—	—	—	—	2
000 312-1194	HORN	36V	Flat	—	—	—	—	—	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1202	HORN	24-48V	Flat	—	—	—	—	—	2

4



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1156	HORN	36-48V	Flat	124mm	55.8mm	430 Hz	110+/-5dB	0.6/1.0	2
000 312-1181	HORN	24V	Flat	124mm	55.8mm	405 Hz	110+/-5dB	1.8	2
000 312-1187	HORN	36V	Flat	124mm	55.8mm	415 Hz	110+/-5dB	1.8	2
000 312-1188	HORN	72V	Flat	124mm	55.8mm	430 Hz	110+/-5dB	1.5	2
000 312-1189	HORN	12V	Flat	124mm	55.8mm	410 Hz	110 +/-5dB	3.4	2



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1191	HORN	24V	Flat	100mm	60mm	325+/-5 Hz	110+/-5dB	2	2

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1192	HORN	36V	Flat	96.87mm	68.75mm	330+/-5 Hz	115+/-5dB	1	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1145	HORN	12V	Sea Shell	106.25mm	73.75mm	370 +/-20 Hz	115+/-5dB	8	2

4



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1174	HORN	12-48V	Electronic Forward Horn	118mm	57mm	-	107dB	-	-



1



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1177	HORN	12V	Electronic Forward Horn	80mm	50mm	—	107dB	1	
000 312-1178	HORN	24-48V	Electronic Forward Horn	80mm	50mm	—	107dB	1	

2



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1203	UNIVERSAL HORN	12-24V	Electronic Forward Horn	100mm	71mm	—	107dB	.1	2
000 312-1208	UNIVERSAL HORN	36/48V	Electronic Forward Horn	100.00mm	71.00mm	—	107dB	.1	2

3



Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1205	HORN	12V	Electronic Rear Horn	—	—	—	—	—	—

4



NEW
Catalog Item!

Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1209	HORN	12-60V	Electronic Forward Horn	96mm	127mm	—	112dB	.50	3



1



NEW
Catalog Item!

Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1210	HORN	48V	Flat	97.500mm	47mm	—	108dB	—	2

2



NEW
Catalog Item!

Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-1211	HORN	12V	Electronic Forward Horn	85.55mm	38.10mm	—	105dB	3.5	1

3



NEW
Catalog Item!

Part #	Desc.	Voltage	Style	Diameter	Depth	Frequency	Decibel Rating	Amps	Terminals
000 312-9586	HORN	72V	Flat	99.500mm	49.210mm	—	100dB	.5	2



SAFETY horn relays

000 306-1225

1



HORN RELAY

Voltage12V

000 306-2140

2



HORN RELAY

Voltage12V

000 306-2266

3



HORN RELAY

Voltage 12V

000 306-2623

4



HORN RELAY

Voltage 12V

000 306-2669

5



HORN RELAY

Voltage 12V

000 306-2674

6



HORN RELAY

Voltage 12V

000 306-2683

7



HORN RELAY

Voltage 12V

000 312-2012

8



HORN RELAY

Voltage12V

007 2366974

9



HORN RELAY

Voltage12V



SAFETY

horn switches

000 393-5091

1



HORN SWITCH

000 393-5372

2



HORN SWITCH

000 393-9168

3



NEW
Catalog Item!

HORN SWITCH

000 393-5899

4



NEW
Catalog Item!

HORN SWITCH



SAFETY

horn button kits

000 445-1018

1



HORN BUTTON KIT

000 445-1021

2



HORN BUTTON KIT

000 445-1022

3



HORN BUTTON KIT

000 445-2000

4



HORN BUTTON

000 445-2001

5



HORN BUTTON KIT

000 445-2007

6



HORN BUTTON KIT

000 445-2014

7



HORN BUTTON KIT

000 445-2015

8



HORN BUTTON KIT



SAFETY

horn button kits

000 445-2016

1



HORN BUTTON KIT

000 445-2018

2



HORN BUTTON

000 445-2022

3



HORN BUTTON

000 445-2027

4



HORN BUTTON KIT

000 445-2030

5



HORN BUTTON KIT